


THE WORLD'S LEADING MANUFACTURER OF LABEL DISPENSERS, REWINDERS, UNWINDERS & COUNTING SOLUTIONS



S-100 S-200 LABEL SLITTERS & STATIONS


labelmate.com

Slitting Solutions

Label slitters are a quick and easy way to produce much faster high quantities of smaller labels as you can print **multiple-across label rolls** and than slit them into separate, individual label rolls. Labelmate offers complete "stand-alone" slitting stations including unwinder, slitter and rewinder) as "in-line" solutions that can be placed at the output of any label printer. Slitters have high-precision, break-away blades for clean, even slitting of material.

S-100 AND S-200 LABEL SLITTERS & STATIONS

- S-100: for media width up to 170mm
- S-200: for media width up to 255mm
- · S-STATIONS: including all devices & accessories



COMPLETE SLITTING STATIONS



- Reduce drastically total printing cost (printer head lifetime and ribbon usage)
- ✓ Perfect solution for slitting and rewinding narrow labels
- ✓ Up to 5 labels across
- Can be used in combination with:
 - A barcode printer and a rewinder (inline)
 - A rewinder & an unwinder (offline)
- Optional Pre Set counter allows to pre-set the number of labels to be slit and stops the rewinder when the job is done.

SPECIFICATIONS

- S-100 & S-200 Size: W x D x H: 355 x 280 x 250 mm.
- Weight: 7.1kg to 8.5 depending on model

GENERAL

- Power Supply: 100-240VAC- 50Hz, Output 15VDC-4,33A
- Limited Warranty of 5 Years, 1 Year on the Power Supply


LABEL SLITTERS & STATIONS

| P/N | MODEL | DESCRIPTION | LABEL WIDTH (mm) |
|--------|--------|---|------------------------|
| LMS001 | S-100 | Heavy-Duty Label Slitter. Requires a CAT-3-CHUCK. | 170 |
| LMS002 | S-200 | Heavy-Duty Label Slitter. Requires a CAT-3-CHUCK(270) | 255 |
| LMS004 | S-100S | Pack Includes: UCAT-S Unwinder; S-100 Slitter; 2 Blade Holders with Blades; CAT-3-CHUCK Rewinder; 76mm; 1 Aluminium and 2 Thin Plastic Separator Plates (220mm diameter); 'LINK': Adjustable Locking Bar to lock units together in position; 15V Power Supply. | 170 |
| LMS005 | S-200S | Pack Includes: UCAT-1-10"Unwinder;- S-200 Slitter;- 3 Blade Holders with blades;- CAT-3-CHUCK-10" Rewinder;- 1 Aluminium and 3 Thin Plastic Separator Plates (220mm diameter);- 'LINK': Adjustable Locking Bar to lock units together in position;- 15V Power Supply. | 255 |

OPTIONS LABEL SLITTERS

| P/N | MODEL | DESCRIPTION |
|--------|--------|--|
| LMX514 | PC-1 | Pre-set Counter for S-100/200. Counts label batch size. Stops Rewinder automatically when job is finished. |
| LMX515 | BH-1 | Additional blade holder assembly. Includes precision high-speed blade. |
| LMX516 | HSB-10 | 10 precision high-speed blades for slitters. |

LMX517 LINK SLITTER Adjustable locking bar to lock units together in position (Unwinder, Slitter & Rewinder).





LABEL SEPARATOR PLATES

| P/N | MODEL (mm) | DESCRIPTION | MATERIAL | | |
|--------|------------|--|-----------|--|--|
| LMX518 | SP-25-220 | 220mm diameter for 25mm cores | Aluminium | | |
| LMX520 | SP-38-220 | 220mm diameter for 38mm cores | Aluminium | | |
| LMX522 | SP-40-220 | 220mm diameter for 40mm cores | Aluminium | | |
| LMX524 | SP-40-300 | 300mm diameter for 40mm cores | Aluminium | | |
| LMX525 | SP-44-220 | 220mm diameter for 44mm cores | Aluminium | | |
| LMX527 | SP-70-220 | 220mm diameter for 70mm cores | Aluminium | | |
| LMX529 | SP-76-220 | 220mm diameter for 76mm cores | Aluminium | | |
| LMX531 | SP-76-300 | 300mm diameter for 76mm cores | Aluminium | | |
| LMX532 | SP-76-400 | 400mm diameter for 76mm cores | Aluminium | | |
| LMX533 | SP-ACH-220 | 220mm diameter for Adjustable Core Holders | Aluminium | | |
| LMX535 | SP-ACH-300 | 300mm diameter for Adjustable Core Holders | Aluminium | | |



Your local partner:

+32 2 375 69 60 brussels@labelmate.com

Bergensesteenweg 78 1651 Lot (Belgium)

www.labelmate.com